











## **Prior Authorization Request Administrative Information**

Member Information				
Last name	First name		МІ	
Member ID	Date of birth			
	X" or Intersex			
Current gender  Female  Male  Transge	ender male 🔲 Tra	nsgender female  Othe	-	
Place of residence Home Nursing facility	Other			
Race/ethnicity Preferred spoken la	anguage	Preferred written lang	uage	
MassHealth does not exclude people or treat the disability, religion, creed, sexual orientation, or s				
Plan Contact Information				
Please indicate the member's MassHealth Plan according to the Plan's contact information belo		his completed and signed	form	
MassHealth Fee-For-Service (FFS) Plan, Pr Care Organization (PCACO) Plan, Child				
☐ MassHealth Drug Utilization Review Prog	gram			
Pharmacy: Fax: (877) 208-7428 - Tel: (800	) 745-7318			
MassHealth Managed Care Organization	n (MCO) and Acco	untable Care Partnershi	p Plans (ACPP)	
☐ Fallon Health				
Online Prior Authorization: go.covermymed	Online Prior Authorization: go.covermymeds.com/OptumRx			
Online Prior Authorization: providerportal.s	urescripts.net/Provi	derPortal/optum		
Pharmacy: Fax: (844) 403-1029 - Tel: (844	) 720-0033			
☐ Health New England				
Online Prior Authorization: go.covermymed	ds.com/OptumRx			
Pharmacy: Fax: (800) 550-9246 - Tel: (800) 918-7545				
☐ Mass General Brigham Health Plan				
Online Prior Authorization (Non-Specialty D	rugs): go.covermyr	neds.com/OptumRx		
Online Prior Authorization (Specialty/Medical Drugs): provider.massgeneralbrighamhealthplan.org				
Pharmacy: Fax: (844) 403-1029 - Tel: (800) 711-4555				
☐ Tufts Health Plan				
Online Prior Authorization: point32health.pr	Online Prior Authorization: point32health.promptpa.com			
Pharmacy: Fax: (617) 673-0939 - Tel: (888) 257-1985				
☐ WellSense Health Plan				
Online Prior Authorization: wellsense.org/p	roviders/ma/pharma	acy/prior-authorizations		
Pharmacy: Fax: (833) 951-1680 - Tel: (877	) 417-1822			

## **Antidiabetic Agents Prior Authorization Request**

MassHealth reviews requests for prior authorization (PA) on the basis of medical necessity only. If MassHealth approves the request, payment is still subject to all general conditions of MassHealth, including current member eligibility, other insurance, and program restrictions. MassHealth will notify the requesting provider and member of its decision. Keep a copy of this form for your records. If faxing this form, please use black ink.

Additional information about these agents, including PA requirements and preferred products, can be found within the MassHealth Drug List at **www.mass.gov/druglist.** 

dedication information	
Medication requested (Check one or all that apply.	Where applicable, the brand name is provided in brackets
for reference.)	
Single Injectable Agents	Insulin Agents
☐ Bydureon Bcise (exenatide extended-release	Admelog (insulin lispro)
auto-injection)	Afrezza (insulin human inhalation powder)
☐ Byetta (exenatide 5 mcg) > 1.2 mL/30 days	☐ Basaglar (insulin glargine)
☐ Byetta (exenatide 10 mcg) > 2.4 mL/30 days	☐ Basaglar Tempo (insulin glargine)
☐ Mounjaro (tirzepatide)	☐ Fiasp (insulin aspart)
Ozempic (semaglutide injection)	☐ Humalog Tempo (insulin lispro)
☐ Trulicity (dulaglutide) > 2 mL/28 days	☐ Humulin N (insulin NPH)
Tzield (teplizumab-mzwv)	insulin glargine-yfgn
☐ Victoza (liraglutide) > 9 mL/30 days	Lyumjev (insulin lispro-aabc)
Single Oral Agents	Lyumjev Tempo (insulin lispro-aabc)
alogliptin	Rezvoglar (insulin glargine-aglr)
Inpefa (sotagliflozin)	Combination Oral Agents
metformin extended-release, gastric tablet	alogliptin/metformin
[Glumetza]	alogliptin/pioglitazone
metformin extended-release, osmotic tablet	Glyxambi (empagliflozin/linagliptin)
metformin immediate-release 625 mg tablet	pioglitazone/glimepiride
☐ metformin immediate-release solution ≥ 13	Qtern (dapagliflozin/saxagliptin)
years of age	repaglinide/metformin
☐ miglitol	Segluromet (ertugliflozin/metformin)
Riomet ER (metformin extended-release	Steglujan (ertugliflozin/sitagliptin)
suspension)	Trijardy XR (empagliflozin/linagliptin/metformin
Rybelsus (semaglutide tablet)	extended-release)
Steglatro (ertugliflozin)	Other Medication
Combination Injectable Agents	Other*
Soliqua (insulin glargine/lixisenatide)	Ottler
☐ Xultophy (insulin degludec/liraglutide)	
	ric product, please attach supporting documentation (e.g., og adverse reaction or inadequate response to the preferred
Dose and frequency of medication requested	

PA-27 (Rev. 05/24) over

	Indication (Check all that apply or include ICD-10 code, if applicable.)  Type 1 Diabetes Mellitus Type 2 Diabetes Mellitus				
		_ ··			_
	_ •		t recent hemoglobin A1C?	Date L	
Ш	Reduction of risk of cardiov	ascular death, nospitaliz	ation for heart failure, and	urgent neart failure visit	_
	Cardiovascular risk factors Chronic kidney disease				
	Other				
Pleas	se list all other antidiabetic	medications currently pre	escribed for the member for	this indication.	
Dru	ug	Dose and Frequency		Dates of use	
Dru	ıg	Dose and Frequency		Dates of use	
Dru	Jg	Dose and Frequency		Dates of use	
ls t	his member a referral cand	idate for care coordination	n? 🗌 Yes 🗌 No		
	es, MassHealth will offer ca navioral health services wo		to this member. Please de	scribe which additional	_
<ol> <li>2.</li> <li>3.</li> </ol>	<ol> <li>Please complete for combination oral agents.</li> <li>Has the member tried metformin used in combination with at least one of the non-metformin agents in the requested combination?         <ul> <li>Yes. Please list the drug names, dates/duration of use, and outcomes in Section XVII below.*</li> <li>No</li> </ul> </li> <li>If the answer to question 1 is no, has the member tried metformin?         <ul> <li>Yes. Please list the drug name, dates/duration of use, and outcome in Section XVII below.*</li> <li>No</li> </ul> </li> <li>If the answer to question 1 is no, has the member tried at least one of the non-metformin agents in the requested combination?         <ul> <li>Yes. Please list the drug names, dates/duration of use, and outcomes in Section XVII below.*</li> <li>No</li> </ul> </li> <li>For Trijardy XR, please provide medical necessity for use instead of the commercially-available separate</li> </ol>				
	agents.				
1. 2.	Trulicity, Tzield  Has the member tried method  Yes. Please list the dru  If the answer to question 1  Yes. Please list the dru  If the answer to question 1  Yes. Please list the dru  Yes. Please list the dru	d, and Victoza) and Ry formin used in combination g names, dates/duration is no, has the member to g name, dates/duration is no, has the member to g names, dates/duration	on with Byetta, Trulicity, or of use, and outcomes in Soried metformin? of use, and outcome in Secrited Byetta, Trulicity, or Vicof use, and outcomes in Soried Byetta, Trulicity, or Vicof use, and outcomes in Sories	Victoza? ection XVII below.*  No tion XVII below.*  No ttoza? ection XVII below.*	
4.	No. Please describe if t		n to Byetta, Trulicity, and Vi		

over

5.	For Mounjaro, will the requested agent be used in combination with a GLP-1 receptor agonist?  Yes No					
If yes, please provide clinical rationale for concurrent use with a GLP-1 receptor agonist.						
Sec	tion III. Please complete for alogliptin.					
	Has the member tried metformin used in combination	with Januvia, saxa	gliptin, or Tradjenta?			
	$\hfill \square$ Yes. Please list the drug names, dates/duration of	use, and outcomes		□No		
۷.	If the answer to question 1 is no, has the member tried Yes. Please list the drug name, dates/duration of us		Section XVII below.*	□No		
3.	If the answer to question 1 is no, has the member tried	• .	•			
	Yes. Please list the drug names, dates/duration of u					
	No. Please describe if there is a contraindication to	Januvia, saxagiipi	in, and Tradjenta.			
4.	If the request is for greater than one tablet per day, ple	ease complete Sec	tion XVI below.			
Sec	tion IV. Please complete for Steglatro.					
1.	Has the member tried metformin used in combination					
^	☐ Yes. Please list the drug names, dates/duration of use, and outcomes in Section XVII below.* ☐ No					
2.	If the answer to question 1 is no, has the member tried metformin?  Yes. Please list the drug name, dates/duration of use, and outcome in Section XVII below.*					
3	☐ Yes. Please list the drug name, dates/duration of use, and outcome in Section XVII below.*  If the answer to question 1 is no, has the member tried dapagliflozin, Invokana, or Jardiance?					
٥.	Yes. Please list the drug names, dates/duration of	. •				
	No. Please describe if there is a contraindication to					
4.	If the request is for greater than one tablet per day, ple	ease complete Sec	tion XVI below.			
Sec	tion V. Please complete for Tzield.					
	Is the prescriber an endocrinologist? ☐ Yes ☐ No. Pl	ease attach consu	Itation notes from an			
	endocrinologist addressing the use of the requested ag					
2.	Please attach lab results documenting ≥ two islet auto	•				
3.	Please complete the below lab test results as applicab	le.				
	Fasting Plasma Glucose (FPG)		Date obtained			
	2-hour Plasma Glucose (2-h PG)		Date obtained			
	A1C: please document lab values from previous 12 mg	onths below.				
	Lab value	Date obtained				
	Lab value	Date obtained				
4.	Has the member been treated with Tzield previously?					
Sec	tion VI. Please complete for Basaglar, Basagla	ır Tempo, insuli	n glargine-vfgn or Re	zvoglar.		
1.	Has the member had an inadequate response or adve	- ·		_		
	syringe or vial?					
	Yes. Please list the drug names, dates/duration of	use, and outcomes	in Section XVII below.*	☐ No		
2.	For Basaglar and Basaglar Tempo, has the member h	ad an inadequate	response or adverse rea	ction to insul		
	glargine-vfgn prefilled syringe or vial or Rezvoglar?		_			
	☐ Yes. Please list the drug names, dates/duration of use, and outcomes in Section XVII below.* ☐ No					

over

3.	KwikPen formulation.
	tion VII. Please complete for Admelog, Fiasp, Lyumjev, or Lyumjev Tempo.  Has the member had an inadequate response or adverse reaction to Apidra, insulin lispro, or insulin aspart
	(generic Novolog)?  ☐ Yes. Please list the drug names, dates/duration of use, and outcomes in Section XVII below.* ☐ No For Lyumjev Tempo, please provide medical necessity for use of the Tempo Pen formulation instead of the
	KwikPen formulation.
Ple	tion VIII. Please complete for Afrezza.  asse provide medical necessity for the use of an inhaled insulin product instead of an injectable or prefilled ulin syringe.
	tion IX. Please complete for Humalog Tempo. ease provide medical necessity for use of the Tempo Pen formulation instead of the KwikPen formulation.
На	tion X. Please complete for Humulin N. s the member had an inadequate response or adverse reaction to Novolin N? Yes. Please list the drug names, dates/duration of use, and outcomes in Section XVII below.*
ect	tion XI. Please complete for metformin extended-release, gastric tablet (generic Glumetza), and metformin extended-release, osmotic tablet.
1.	Please attach medical records documenting an inadequate response (defined as ≥ 90 days of therapy) or adverse reaction, at the requested dose, to the metformin extended-release, XR tablet formulation available without prior authorization.
2.	For metformin extended-release, gastric tablet (generic Glumetza), please provide medical necessity for the use of the requested product instead of other metformin formulations available without prior authorization.
	tion XII. Please complete for metformin immediate-release solution and Riomet ER.  Is there a medical necessity for the liquid formulation?
	<ul> <li>Yes. Please explain.</li> <li>No. Please attach medical records documenting an inadequate response (defined as ≥ 90 days of therapy allergic reaction, or adverse reaction to metformin tablets.</li> </ul>

2.	For Riomet ER, please attach medical records documenting an inadequate response (defined as $\geq$ 90 days of therapy) to metformin immediate-release solution formulation.
PΙ	tion XIII. Please complete for metformin immediate-release 625 mg tablet.  ease provide medical necessity for the requested formulation instead of metformin tablets available without prior
au	thorization.
L	
Sec	tion XIV. Please complete for miglitol.
	Has the member tried metformin used in combination with acarbose?
	☐ Yes. Please list the drug names, dates/duration of use, and outcomes in Section XVII below.* ☐ No
2.	If the answer to question 1 is no, has the member tried metformin?
•	Yes. Please list the drug name, dates/duration of use, and outcome in Section XVII below.*
3.	If the answer to question 1 is no, has the member tried acarbose?  Yes. Please list the drug names, dates/duration of use, and outcomes in Section XVII below.*
	No. Please describe if there is a contraindication to acarbose.
4.	If the request is for greater than three tablets per day, please complete Section XVI below.
Sec	tion XV. Please complete for Inpefa.
	For an indication of reduction of risk of cardiovascular death, hospitalization for heart failure, and urgent heart failure visit, has the member tried or does the member have a contraindication to both dapagliflozin and Jardiance?
2.	Yes. Please list the drug names, dates/duration of use, and outcomes in Section XVII below.* No For an indication of reduction of risk of cardiovascular death, hospitalization for heart failure, and urgent heart failure visit in type 2 diabetes mellitus and chronic kidney disease with other cardiovascular risk factors, has the member tried two or does the member have a contraindication to all of the following: dapagliflozin, Invokana, Jardiance?
3.	Yes. Please list the drug names, dates/duration of use, and outcome in Section XVII below.* No If the request is for greater than one tablet per day, please complete Section XVI below.
Sec	tion XVI. Please complete for requests for quantities above quantity limits.
	ease describe the clinical rationale for exceeding the quantity limit.
Ĺ	
Sec	tion XVII. Please complete for all requests as needed.
Р	lease provide the following information regarding previous trials.*
D	rug name Dates/duration of use
ט	Did the member experience any of the following?  Adverse reaction  Inadequate response  Other
	Briefly describe details of adverse reaction, inadequate response, contraindication, or other.

Dr	rug name Dates/duration of use
	Did the member experience any of the following?   Adverse reaction   Inadequate response   Other
	Briefly describe details of adverse reaction, inadequate response, contraindication, or other.
_	
Dr	Dates/duration of use
	Did the member experience any of the following?  Adverse reaction  Inadequate response  Other Briefly describe details of adverse reaction, inadequate response, contraindication, or other.
	briefly describe details of adverse reaction, madequate response, contraindication, of other.
Dr	rug name Dates/duration of use
	Did the member experience any of the following?   Adverse reaction   Inadequate response   Other
	Briefly describe details of adverse reaction, inadequate response, contraindication, or other.
_	
Dr	Dates/duration of use
	Did the member experience any of the following?  Adverse reaction Inadequate response Other Briefly describe details of adverse reaction, inadequate response, contraindication, or other.
	briefly describe details of adverse reaction, madequate response, contraindication, or other.
. 5.	
` Ple	ease attach a letter documenting additional trials as necessary.
Sect	tion XVIII. Please complete and provide documentation for exceptions to Step Therapy.
	s the alternative drug required under the step therapy protocol contraindicated, or will likely cause an adverse
	eaction in, or physical or mental harm to the member?   Yes  No
	If yes, briefly describe details of contraindication, adverse reaction, or harm.
	s the alternative drug required under the step therapy protocol expected to be ineffective based on the known
C	clinical characteristics of the member and the known characteristics of the alternative drug regimen?
	Yes No
	If yes, briefly describe details of known clinical characteristics of member and alternative drug regimen.
3 F	Has the member previously tried the alternative drug required under the step therapy protocol, or another
	alternative drug in the same pharmacologic class or with the same mechanism of action, and such alternative
	drug was discontinued due to lack of efficacy or effectiveness, diminished effect, or an adverse event?
	☐ Yes ☐ No
	If yes, please provide details for the previous trial.
	Detect/duration of use
	Drug name Dates/duration of use
	Did the member experience any of the following?  Adverse reaction  Inadequate response Briefly describe details of adverse reaction or inadequate response.
	briefly describe details of adverse reaction of inadequate response.

4.	Is the member stable on the requested prescription drug prescribed by the health care provider, and switching drugs will likely cause an adverse reaction in or physical or mental harm to the member?  — Yes. Please provide details.
	☐ No
	Please continue to next page and complete Prescriber and Provider Information section.

## **Prior Authorization Request Prescriber and Provider Information**

Prescriber Information			
Last name*	First name*		МІ
NPI*	Individual MH Provide	er ID	
DEA No.	Office Contact Name		
Address	City	State	Zip
Email address			
Telephone No.*	Fax No.*		
* Required			
Please also complete for professionally	administered medication	ns, if applicab	le.
Start date	End date		
Servicing prescriber/facility name		☐ Same as	s prescribing provider
Servicing provider/facility address			
Servicing provider NPI/tax ID No.			
Name of billing provider			
Billing provider NPI No.			
Is this a request for recertification?   Yes	] No		
CPT code No. of visits	J code	No. of	units
Prescribing provider's attestation, signal certify under the pains and penalties of perinformation section of this form. Any attached I certify that the medical necessity information complete, to the best of my knowledge. I under prosecution for any falsification, omission, or	jury that I am the prescribing point of the statement on my letterhead on (per 130 CMR 450.204) on derstand that I may be subject	has been review this form is true to civil penaltie	wed and signed by me e, accurate, and es or criminal
Prescribing provider's signature			
Printed name of prescribing provider		Date	
(The form can either be signed by hand and	then scanned, or it can be sig	ned electronica	Illy using DocuSign or

(The form can either be signed by hand and then scanned, or it can be signed electronically using DocuSign or Adobe Sign. For electronic signatures, the signer can upload a picture of their wet signature. The typed text of a signature is not an acceptable form of an electronic signature.)